FEKETE SERETLEK & STUDIO DAMÚZA : KAR TECHNICAL REQUIREMENTS:

Stage Width	6 m
Stage Depth	9 m
Stage Height	50 cm /first step/, 120 cm /second step/
	It depends on the venue, but we need maximum 4 stage tables to make the steps.
Setting up time	5 hours
Dissasembling	2 hours
time	
Open fire	The open fire, cigarettes, smoke effects are used in the
and/or smoke effects	performance.

Other	These are an ideal requirements from our home stage but we can adapt them for your stage.
Kontakt	Zuzana Cajtlerová
	Zuzana.cajtlerova@damuza.cz
	+420 728 980795

Sound

standard p.a.
1x monitor speaker
7x mic lines on stage
2 microphones AKG C 451 or similar
2 x overhead mic stands
5 x D.I. box
XLR cables
Hard plugins on stage
Min. 8-channel and 1pre aux sound mixer with effect processor

Live post for sound and light technic

Fog machine (better than hazer)

Other

1 low small table 1 chair without armrests

1 kg of dry ice (depends on the duration of our journey, please consult it with production)

Lighting instruments

8 x profiles (750W min.) with approx. 36 degrees optics 8 x FHR 1000W 4 x GHR symmetrical flood lights And some concert lights color PARs or moving heads ... Programmable lighting board (cues, chase effects, etc.) 24 dimmers

